UNI-SELECT®

Auto Parts Plus

Auto Plus

TOOLS & LIGHT EQUIPMENT for professionals

PRO EQUIP

MORE ON PAGE 37

Booster Cables
- Constructed with 100% fine stranded copper
- Tangle-free design remains flexible in cold weather
- High grade steel return spring
- Zippered vinyl storage case.

705700 **12.99**

705751 **91.99**

705762 **143.99**

705700

MORE ON PAGE 37

705762

705751

MÄKTIG™ 436 / MAE

MÄKTIG™ 436 / MAE

Extension Cords
- Lighted ends, 100% copper wire, NEMA 5-15P plug and NEMA 5-15R receptacle.

704412 **15.99**

BE 856 / BPS

9000-Watt Generator
- 420CC, R420 PowerEase motor
- Electric starter with automatic voltage regulator
- Outlets: 6x 120V and 2x Twistlock (120V and 240V).

X9000E **1,049.99**

BE 856 / BPS

9000-Watt Generator/Inverter
- 212CC, OHV PowerEase motor
- Low oil shutdown
- Outlets: 120V GFCI Duplex and 120V Twistlock.

I3000R **1,025.99**

Fall 2015
Valid from
October 1 to December 31, 2015
$2,49

Jacks

Part No.	Capacity (T)	Description	Height (in)	Price
1526	3.5	Service jack	4 - 21	301.99
5300	3	Stinger jack pack (jack + 2 stands)	12 - 17-11/16	280.99

5300

1526

1

2

3

4

5

6

7

8

9

10

11

12

1 60-Ton Single Acting Ram

4140
2,515.99

2 Ball Joint Master Service Kit

- Offers complete coverage of Car and Truck/Van/SUV applications. With 70+ adapters, c-frame and application guide means there is nothing else to add for servicing ball joints!

6559
1,057.99

3 Hub Grappler™ Kit

- Services wheel hubs and bearings on the vehicle without removing the steering components or knuckle
- Eliminates unnecessary alignments or the use of a shop press, cutting service time dramatically.

6575
834.99

4 55-Piece Truck/Van/SUV Ball Joint Master Kit

- The most comprehensive and complete kit available on the market
- Covers press-in ball joints on numerous trucks, vans and SUVs.

6539
961.99

5 Tire Bead Seater Accessory

- Provides the ability to control the blast with both hands firmly on the nozzle assembly, increasing effectiveness and safety
- Includes all the fittings to adapt the hose to most surge tanks found on tire changers (tank hook is also included)
- Long 6-1/2' hose will reach all positions on the tire.

5700A
374.99

6 Dual Wheel Dolly

- Hydraulic jack provides almost 5 inch of lift
- Wheel assembly tilts 4° to prevent damage to wheel seal
- Swivel casters
- 6 feet chain holds load in place.

1770A
1,482.99

7 Heavy-Duty U-Joint Puller

- Larger diameter threaded shaft can handle U-joints that are severly seized and require higher force
- Major tool components are heat treated
- Smoother thread allows for a lower, more consistent effort to rotate shaft
- Designed to fit all Class 7 and 8 trucks.

5190A
399.99

8 Pro Master Fuel Injection Service Kit

- Perform fuel pressure testing diagnose weak fuel pumps or restricted filters test for fuel flow and perform leak-down tests
- 0-100 PSI fuel pressure gauge
- 47 OTC fuel injection system adapters each with a quick connect Schrader valve
- 1997-2008 fuel injection service application manual.

6550PRO
722.99

9 Fuel Injector Canister-Type Cleaner

- Stainless steel construction with wide throat to reduce spillage - safely holds up to 22 oz.
- Easy to read 3-1/2" gauge for setting accurate delivery pressure
- Hose material meets SAE J30R9 Std for gasoline and ethanol blended fuels
- Removable hose for better storage options and easy replacement if inadvertently damaged.

7448A
210.99

10 StrutTamer™ Extreme Spring Compressor

- Simply the most effective compressor for virtually any straight, conical, or offset spring
- Four-point locking jaws, open-ended design, adjustable arms (in and out 2-1/2" to 10" in diameter, up and down 2-1/2" to 24" vertical stroke
- Stand included.

6592
1,133.99

11 Air/Hydraulic Pump

- Ideal all-around power source develops 10,000 PSI at 100 PSI air - Two-stage release mechanism
- Internal relief valve
- 3/8 inch NPTF oil port
- 98 cubic inches of usable oil.

4020
719.99

12 Low Profile Transfer Tanker

- Only 7-1/2" from floor to top of reservoir
- Comes equipped with an pneumatic pump and a 15-gallon tank.

5097
959.99

1 750 Series Automotive Multimeter

- Includes powerful automotive test functions such as frequency duty cycle diode and continuity tests
- Plus automotive specific tests: true RMS RPM, width, temperature, backlight RS232 and min/max CATIII so it is compatible with hybrid vehicle systems
- Auto power-off
- PC cable software and black canvas case is included.

3980
235.99

2 Leak Tamer™ Plus EVAP

- Evaporate emission system tester to diagnose vehicle EVAP system leaks
- Can also locate vacuum and exhaust leaks.

6522
1,250.99

3 Ready Scan Readiness Monitor Tool

- LEDs and audio alarm when drive cycle is completed
- Once the vehicle's OBD II system is ready repair work is confirmed
- Works on 1996 and newer OBD II and CAN compliant vehicles
- Heat-resistant over molding on battery clips and blow-molded case.

3358
130.99

4 Genisys® 2014 Software Super Bundle

- Everything needed to update a Genisys EVO. This powerful kit maximizes technician productivity with the four most popular Genisys™ options.
- USA 2014 Domestic/Asian with ABS, European 2013 with Code-Assist™ and Repair-Trac® experienced-based Confirmed Fixes™ from Identifix®.

3421-149
1,046.99

5 Genisys® 2014 Loyalty Software Kit

- For domestic, asian and european models.

3421-150
822.99

6 Mid-Range ENCORE Scan Tools

- New tools with many features like autoDetect,autoID, access OEM repair information, Android OS, 15 sec boot time, J2534 device, micro video , Wi-Fi update and more.

3893
2,491.99

7 Tire Pressure Monitor Tool Kit for Genisys®

- Universal kit includes TPR handheld DB25 wireless adapter, carry case, registration card and Genisys interface.

3834
615.99

8 CAN Test Box and Protocol Detector

- Connect, detect, monitor voltage and more
- For diagnosing electrical faults and CAN bus line activity
- Check power and ground circuits, check active protocol lines, or connect a multimeter or oscilloscope for detailed signal analysis.

3415
389.99

9 Trilingual Scan Tool OBD II, CAN, ABS And Airbag

- Compatible with all 1996 and newer domestic, asian and european cars and light trucks OBD II & CAN
- Records and plays back live, real time engine data
- Component locator
- Airbag and ABS coverage for 1996-2010 GM, Ford, Chrysler and also 1996-2009 Toyota, Honda, Hyundai and Nissan vehicles
- Dual PID graphing capability.

3111PRO
338.99

10 ODBII TPMS Tool

- Both a sensor activation and diagnostic device which couples On-Board Diagnostic (OBD) II relearn capabilities all in one compact and portable housing.

3838
1,980.99

11 2-Channel Automotive Scope

- Glitch snare captures, displays, and saves abnormal signal patterns
- Preset tests for majority of sensors, actuators, and systems
- Built-in reference information
- Secondary ignition function
- Diesel function
- USB interface
- Includes: test leads, ground lead, 3 - and 5-way alligator clips, various probes, update cable/software, soft carrying case, and user manual.

3840F
1,538.99

12 Genisys® Touch Diagnostic Kit

- Includes a ruggedized 10" high resolution display tablet, J2534-1 / -2 compliant, Vehicle Communications Interface (VCI), 10 OEM adapters, OBD II cable, USB cable, 12V power cable, AC power supply and custom carrying case.

3895

36 months	48 months	60 months
134.04	108.61	93.57

OTC4095FD

13 Minuteman Plus Multi-Purpose Electrical System Tester

- Saves you hours when testing batteries, starters, alternators, regulators and charging systems
- Special AGM test options for accurately diagnosing AGM and spiral six-pack style batteries
- Tests starters in seconds with no need to disable ignition
- Checks the charging system at high rpms and at idle and stores the data.

3131AGM
3,030.99

ROBINAIR

002 / RBN

TruTrak™ Ultrasonic Leak Detector
- Ultra-sensitive leak detector
- Detects average-sized leaks on pressurized or vacuum systems.

16455
697.99

Combustible Gas Detector
- Super-sensitive, cordless, combustible gas detector
- Detects a broad range of natural gases including propane, methanol, butane, and gasoline
- Easy to use.

TIF8900
262.99

BONUS
FREE 22791 LEAK DETECTOR !

CoolTech™ Premier R134a Refrigerant RRR Machine
- Meets the new J-2788 refrigerant recovery standards
- Fully-automatic function: Program to recover, vacuum, leak test and charge without operating panel valves
- Automatic oil drain
- Automatic oil injection back into the vehicle's A/C systems
- Complete drain of residual fluids.

34788NI

36 months	48 months	60 months
163.55	**129.93**	**110.31**

RBN5256ER

LAUNCH

186 / LCT

1

FREE GOLO CARCARE 301180151 PLUS OBD I CONNECTOR KIT !

2

3

4

BONUS: FREE GOLO CARCARE 301180151 & WIFI PRINTER 307010002 !

5

6

7

BONUS: FREE GOLO CARCARE 301180151 & WIFI PRINTER 307010002 !

1 X431 GDS, Modular PC Scan Tool
- Network Technology: Supports Wi-Fi wireless Internet communications. Also an Ethernet port supporting wired Internet connection.
- Value Added: Provides maintenance information, maintenance cases and Internet search service. To achieve main module upgrading by one key, feedback by one key, and searching by one key etc.
- Projector Compliant: VGA interface, support for external projector or large screen display extension, 800×600 and 1024×768 resolution.
- Functions: Troubleshooting diagnostics, oscilloscope, engine ignition analysis, sensor simulation, and multi-meter functions.
- Industrial Computer:Provides more stable operation and greater reliability.
- Wide Test Range: Detect electronic control system malfunctions on Asian, European, and tDomestic.
- Quick upgrade: software upgrades nearly 1,000 times each year.

301020514
1,252.99

2 X-431/Diagun Full Set Online Update
- One-year software updates subscription for 38 cars makes (online release).

500000001
789.99

3 Wifi Mini Printer
- Print wirelessly from your Launch pad ii and scanpad's with ease!
- Print codes, code definitions, module information, live data, coding information, & diagnostic procedures
- Highly portable, sleek , ergonomic, & lightweight, design - fits right in your pocket.

307010002
327.99

4 X-431 Pad II
- Built to IP65 water proof specifications, drop-tested, dust-proof design
- OE-level access to Asian, European and Domestic applications
- Auto-ID all available vehicle systems and modules
- 10.1" high resolution IPS capacitive touch screen.

301180090
3,175.99

5 EasyDiag Reg 2.0 Generic Code Reader/ Scanner

301180136
89.99

6 Scan Pad Android-Based Diagnostic Tool
- Class-1 Bluetooth connector offering over 100 ft. of wireless connectivity
- Auto-ID all available vehicle systems and modules
- Built-in customer management software and link to LAUNCH online user community
- One-click Wifi or Ethernet Updates.

301220001
1,565.99

7 Scan Pad 101 Android Scan Tool Tablet
- Ultra fast updates - less than 3 seconds per car line!
- Drop tested, ultra heavy-duty design
- Class-1 Bluetooth 2.1 connector for optimum wireless connectivity
- Auto-ID all available vehicle systems and modules
- OE-Level access to Asian, European and Domestic applications.

301220002
2,189.99

JohnBean

1 V3D-EL Visualiner Image Aligner
- Wheel capacity 25", 17" LCD monitor.

EEWA541AL

36 months	48 months	60 months
518.14	406.01	337.24

JBC17119TE

2 V3DEL Aligner

EEWA544AL

36 months	48 months	60 months
545.68	427.61	355.17

JBC18029GH

3 BFH400 Wheel Balancer
EAK0221J60A 4 Cone Kit included

EEWB556A

36 months	48 months	60 months
153.22	124.15	106.96

JBC4681UK

4 EHP System V Tire Changer
- Handles a wide range of high-performance wheel and tire assemblies, including low-profile and run-flat tires.

EEWH517B

36 months	48 months	60 months
301.01	239.11	203.01

JBC9672GB

EHP System V Two-Speed Tire Changer
- 14 RPM
- Positively restrains wheel and tire assembly to the tire changer during the inflation process
- Stops air flow once pressure has reached 55 PSI (3.5 Bar)
- Self-centering nylon-covered clamps.

EEWH554A

36 months	48 months	60 months
312.78	247.28	206.38

JBC10211SC

BOSCH

WBE 4430 Premium Monitor Display Wheel Balancer
- 3D automatic data entry
- Laser for precise weight placement
- LED light ring illuminates the work area where you need it most
- Easy and intuitive operation with visual monitor display program.

F00E900663C

36 months	48 months	60 months
252.78	200.81	170.49

Special Order

BEQ8123HL

TCE 4230SFA Swing Arm Tire Changer w/Articulating Following Arm
- Swing arm operation
- Premium tire changer designed for servicing standard tires in a variety of sizes
- Maximum rigidity and turntable torque
- High performance mount/demount head with tire iron slot, ideal for mounting low profile tires
- Optional helper arm assists with mounting of low profile tires.

F00E900668C

36 months	48 months	60 months
249.17	197.94	168.05

Special Order

BEQ8007BH

1 Baseline BL200 Tire Changer

- Handles both steel and alloy wheels with a 38" max tire diameter and 21" external maximum rim diameter.

BL200C

36 months	48 months	60 months
88.51	71.72	61.79

AMM2704TS

2 BaseLine BL500 Tire Changer with 24" External Clamping and BL Robo-Arm

- Works on most tires and offers additional support for stiffer sidewall tires
- Handles both steel and alloy wheels with a 38" max tire diameter and 24" external max rim diameter.

BL500C

36 months	48 months	60 months
129.62	105.03	90.49

AMM3960BJ

3 GTS Series Tiltback Tire Changer

- External rim diameter 6-24", 15" width
- Tire diameter 44"
- Handles alloy & steel wheels for car & light truck
- Electric drive system: 1HP electric motor, 110v, 60hz, 25amp
- 4-clamp wheel clamping, air cylinder operated.
- Comes with plastic duckhead
- Robo-Assist arm and powered roller disk

85610076

36 months	48 months	60 months
308.69	245.23	208.21

Special Order

AMM9919QW

- External rim diameter 6-24", 15" width

85610092

36 months	48 months	60 months
210.42	167.15	141.92

Special Order

AMM6762SA

- Powered roller disk
- External rim diameter 6-24", 15" width

85610098

36 months	48 months	60 months
245.51	195.04	165.59

Special Order

AMM7889LO

4 Handle Actuated Tire Changer

- Rim diameter: 6" - 22" external; 8" - 24" internal
- Max tire diameter: 50" Max
- Max rim width: 14" Max
- Wheels handled: Steel, alloy
- Mount/demount mechanism: Swings away for better access
- Bead loosening system: Hand controlled
- Inflation gauge: 0 to 60 PSI
- Air source: 110 to 175 PSI; 5 HP compressor; 14 to 15 SCFM @ 150 PSI.

50XEH2

36 months	48 months	60 months
250.04	198.63	168.64

AMM8035HI

5 Rim Clamp Tire Changer

- Rim diameter: 10-21" external; 12-21" internal
- Rim width: 10.5"
- Tire diameter: 50"
- Handles alloy & steel wheels for car & light truck
- Air drive system: 1.5HP air motor, 110-175psi, 15scfm (air model only)
- Electric drive system: 1HP electric motor, 110V, 60hz, 15A (electric model only)
- 4-clamp wheel clamping, air cylinder operated.

RC-45E

36 months	48 months	60 months
161.09	130.53	112.46

AMM4922HO

6 Rim Clamp Tire Changer

- Powered Robo-Arm
- Rim diameter: 10-21" external; 12-21" internal
- Rim width: 10.5"
- Tire diameter: 50"
- Handles alloy & steel wheels for car & light truck
- Air drive system: 1.5HP air motor, 110-175psi, 15scfm (air model only)
- Electric drive system: 1HP electric motor, 110V, 60hz, 15A (electric model only)
- 4-clamp wheel clamping, air cylinder operated.

RC-55E

36 months	48 months	60 months
201.78	160.30	136.09

AMM6484NE

7 Run-Flat Tire Changer

- Run flat and low profile capabilities with patented Coats Robo-Arm®

SPECIFICATIONS

- Rim diameter 6" - 22" external; 8" - 24" internal
- Maximum tire diameter 50"
- Maximum rim width 14"
- Wheels handled steel, alloy
- Mount/demount mechanism swings away for better access
- Bead loosening system hand or foot controlled
- Inflation gauge 0 to 60 PSI.

70XEH1

36 months	48 months	60 months
291.84	231.84	196.83

AMM9378YO

8 Run-Flat Tire Changer

- Run flat and low profile capabilities with patented Coats Robo-Arm®

SPECIFICATIONS

- Rim diameter 6" - 22" external; 8" - 24" internal
- Maximum tire diameter 50"
- Maximum rim width 14"
- Wheels handled steel, alloy
- Mount/demount mechanism swings away for better access
- Bead loosening system hand or foot controlled
- Inflation gauge 0 to 60 PSI.

70XEH2

36 months	48 months	60 months
318.91	252.14	210.43

AMM10411FC

9 Run-Flat Tire Changer

- Includes premium set.

70XEH3

36 months	48 months	60 months
318.91	252.14	210.43

AMM10411EM

ADAPTER (#500997401) INCLUDED

FREIGHT EXTRA

1 110-Volt Balancer

- Automatic distance & diameter entry
- Automatic measurement of two parameters with manual control back-ups
- Auto start hood
- Direct Tape-A-Weight placement with audible beep.

875

36 months	48 months	60 months
160.64	127.61	108.34

AMM5162YY

2 Light-Duty Balancer

- Balancing modes: 10
- Maximumtire diameter: 34" to 40"
- Rim width: 2" to 20"
- Rim diameter: Up to 30"
- Shaft diameter: 40 mm
- Motor: 110v, 1Ph.

775

36 months	48 months	60 months
128.83	160.31	89.94

AMM3936ST

3 BaseLine BL225 Wheel Balancer

- 8 balancing modes, pedal brake system and LED touch panel display.

BL225C

36 months	48 months	60 months
94.21	76.34	65.77

AMM2879BD

4 Wheel Balancer

- No belts to slip or pulleys to wear out
- Simultaneous display of static and dynamic data identifies any excess residual static imbalance
- Automatic distance and diameter data entry
- Dynamic with simultaneous static, four standard alloy options and truck mode.

1150-2D

36 months	48 months	60 months
168.12	133.55	113.39

AMM5402AL

5 High-Volume 3D Balancer

- Tape-A-Weight placement and behind the spoke placement
- 3-D automatic offset and diameter measurement with manual control backups
- Hood sonar calculates third data parameter (width)
- 1.5 HP AC Direct Drive™ motor
- Automatically positions and holds for weight installation.
- Adapter Kit required (sold separately)

SPECIFICATIONS

- Balancing modes 8
- Wheel tire diameter 8" to 30"
- Wheel width range 2" to 20"
- Max. tire diameter Up to 44"
- Max. tire weight 160 lbs
- Shaft diameter 40 mm
- Resolution 0.25oz.

1250-3D

36 months	48 months	60 months
246.63	195.92	166.34

AMM7925EN

6 Vero V200 Balancer

- Performance balance the first time, everytime
- Features DirectDrive power, ProBalance technology, industrial-grade touchscreen and laser-guided operation.

V200-3DV

36 months	48 months	60 months
269.94	214.44	182.06

AMM8674WN

7 CD Series 2-in-1 Auto Lifts - 2-Post Lift

- 10,000 lb., 2-post automotive lift for low-to-medium volume shops
- Features symmetric or asymmetric lifting capability and multiple height and width options
- Three-stage telescopic front arms for maximum reach and vehicle coverage.

4TV21NSR1

36 months	48 months	60 months
124.82	101.14	87.14

Special Order

AMM3814TO

1 Charcoal Filter Cartridge
- Replacement filter cartridge for organic vapors only
- Case of ten (10) blister cards, 2 per card.

40-1921-10
226.99

2 CLEAN™ CHAMPION™ Disposable Respirator
- NIOSH APPROVED dual cartridge respirator OV/N95
- For paint spraying, priming, undercoating and rust proofing

- Medium. DCR-502 **14.99**

- Large. DCR-503 **14.99**

3 Desiccant Air Drying System
- Three stage filter with regulator and gauge for removing any moisture, oil, or particulate from the compressed air lines.

DAD-500
1,039.99

4 CT Plus™ 5-Stage Compressed Air Treatment and Drying Center
- First stage filter removes oil, water, and dirt down to 5 microns
- Second stage coalescer removes oil vapors and dirt particles down to .01 microns
- CT30 desiccant tank repeats dirt and oil aerosol removal and eliminates humidity
- Easy maintenance.

130522
833.99

5 FinishLine 80 CFM Air Control Unit with Regulator
- Eliminates costly redo's due to moisture and dirt in the air line
- 5 Micron particle filter
- Compact design, large capacity
- Air inlet: 1/2 NPT (female), air oulet: 1/4 NPSM (female).

HAR-680
149.99

6 Gravity Feed "Plus" Spray Gun
- Comes with 34 oz cup, 1.2 mm, 1.3 mm, and 1.4 mm fluid tips, air adjustment valve and gun hook.

GFG-670
593.99

7 HVLP Gravity Gun
- Includes aluminum cup and tips (1.3, 1.4, 1.5mm)
- Very efficient HVLP design
- Compatible with waterborne products.

GTI-620G
593.99

8 AirBlade Compressor
- Quiet, oiless, piston compressors with automatic shut off for longer compressor life.

DGR-604G-35
525.99

9 2.5 Gallon Pressure Tank with Dual Regulators

83C-220
819.99

10 Waterborne Paint Dryer and Stand
- Two-gun air drying system.

130529
790.99

IS5-4060-03

IS5-5580-03

IS5-10080-03

IS7-100120-03

IS10-100120-43


IS13-5530

Piston-Type Compressors

Part No.	Model	HP	Volt/Hz/Ph	CFM	Tank	Pump	Price
IS5-4060-03	IS5-4060	5	230/60/1	13 @ 125 PSI	60 Vertical	3 cyl/1 st.	1,301.99
IS5-5580-03	IS5-5580	5	230/60/1	15.4 @ 150 PSI	80 Vertical	3 cyl./2 st.	2,001.99
IS5-10080-03	IS5-10080	5	230/60/1	18 @ 150 PSI	80 Vertical	4 cyl./2 st.	2,347.99
IS7-100120-03	IS7-100120	7,5	230/60/1	22,7 @ 150 PSI	120 Horizontal	4 cyl./2 st.	80.23*
IS7-100120-43	IS7-100120	7,5	230/60/3	22,7 @ 150 PSI	120 Horizontal	4 cyl./2 st.	3,195.99
IS10-100120-43	IS10-100120	10	230/60/3	31 @ 150 PSI	120 Horizontal	4 cyl./2 st.	3,348.99
IS13-5530	IS13-5530	13	Gas (Honda)	21 @ 150 PSI	30 Horizontal	3 cyl./2 st.	2,719.99

Call Us !

*Monthly price for a 48-month leasing (with 10% buy-back).

B7.5TD-03

B10TDVSD

Screw-Type Compressor

Part No.	Model	HP	Volt/Hz/Ph	CFM	Tank	With Dryer	Variable Speed	Price
B7.5TD-03	S-001766	7,5	230/60/1	27 @ 145PSI	80 Horizontal	√		183.07*
B10TDVSD	S-001751	10	230/60/1	37 @ 145PSI	80 Horizontal	√	√	249.51*

*Monthly price for a 48-month leasing (with 10% buy-back).

5 HP Screw Compressor

- S-002510 (Model: A5T)
- 5 HP, 230/60/1, fixed speed belt drive, 16 CFM @145 PSI
- Tank-mounted unit (60 G horizontal)
- 68 dBA.

S-002510

36 months	48 months	60 months
137.97	111.79	96.32

DVA4215KS

AC2020

AC5060B

AC658HB

AC3020B

Compressors

Part No.	AC658HB	AC2020	AC3020B	AC5060B
Description	Portable Gas Compressor	Vertical - Commercial	Horizontal	Air Compressor
Engine	Honda GX200	2 HP / 120 V	3 HP / 120 V	3HP / 120V
Displacement (CC)	196			
Power	13.8 CFM @ 90 PSI 12.7 CFM @ 100 PSI	5.3 CFM @ 40 PSI 4 CFM @ 90 PSI	7 CFM @ 40 PSI 5.6 CFM @ 90 PSI	5.6 CFM @ 90 PSI
Tank Capacity (Gallons)	8	20	20	20
Price	**1,066^{99}**	**293^{99}**	**608^{99}**	**987^{99}**

Call Us !

HL060F
HL125F

HK070F

HK125FW
HK175FW

HK400FW

HK600FW

Call Us !

Heaters

Part No.	HL060F	HL125F	HK070F	HK125FW	HK175FW	HK400FW	HK600FW
Description	LPG Forced Air	LPG Forced Air	Kerosene/Diesel Forced Air	Kerosene/Diesel Forced Air	Kerosene/Diesel Forced Air	Kerosene/Diesel Forced Air	Kerosene/Diesel Forced Air
BTU Output	60 000	125 000	70 000	125 000	175 000	400 000	600 000
Overheat Shutoff	√	√	√	√	√	√	√
Thermostat			√	√	√	√	√
Floor Coverage (sq.ft.)	1 500	3 100	1 700	3 100	4 300	10 000	15 000
Fluel Tank (G)			5	10	13	24	40
10' Hose and Regulator	√	√					
Pneumatic Wheels				√	√	√	√
Price	**178^{99}**	**227^{99}**	**309^{99}**	**375^{99}**	**424^{99}**	**1,991^{99}**	**82^{52*}**

*Monthly price for a 48-month leasing (with 10% buy-back).

X-3170RWX

X-2005HWA
X-2005HWX

Pressure Washers

Part No.	X-3170RWX	X-2005HWA	X-2005HWX
Type	Gaz	Gaz	Gaz
Engine	PowerEase	Honda GC 160	Honda GC 160
Displacement (CC)	210	160	160
Low Oil Shutdown	√		
Maximum Pressure	3 100	2 500	2 700
Maximum Flow (GPM)	2.3	2.3	2.3
Pump	RX 705	AR RMV25G24D	AR RMV25G30D
Unloader		√	√
High Pressure Hose (ft)	25	25	25
Spray Gun / Lance / Chemical Injector	√	√	√
Hose Reel			
Frame	Powder Coated	Powder Coated	Powder Coated
Tires (in)	10	10	10
Price	**488^{99}**	**618^{99}**	**661^{99}**

Call Us !

I2000L

I3000R

Generators/Inverters

Part No.	I2000L	I3000R
Description	2 000 W Inverter	3 000 W Inverter
Engine	Powerease OHV	Powerease OHV
Displacement (CC)	79	212
Running Watts	1 600	2 800
Fuel Tank Capacity (L)	4	4
Starter	Recoil	Recoil
Receptacles	1x 120V GFCI Duplex (20A), 12V DC 8.0A	1x 120V GFCI Duplex (20A), 1x 120V Twistlock (30A), 12V 144W (12A)
Low Oil Shutdown	√	√
Sound Level (dB)	59 @ 50%	59 @ 50%
Price	**788^{99}**	**1,025^{99}**

X1200

X3100

X9000E

X12000ER

AC138HB3500W

Call Us !

Generators

Part No.	X1200	X3100	X9000E	X12000ER	AC138HB3500W
Description	1 200 W Generator	3 100 W Generator	9 000 W Generator	12 000 W Generator	Compressor/Generator Combo
Engine	PowerEase	PowerEase	15HP PowerEase	PowerEase	Honda GX390 OHV
Displacement (CC)	125	210	420	623	389
Running Watts	1 000	2 800	7 100	9 500	3 500
Auto Voltage Regulator	√	√	√	√	
Fuel Tank Capacity (L)	5	12	25	40	6,8
Run Time (hrs) @ 100% Load	7	7,5	6,5	7,5	1,5
Starter	Recoil	Recoil	Electric	Electric	Recoil
Receptacles	2x 120V, 1x 12V DC	4x 120V GFCI, 1x 120V Twistlock, 12V DC	6 x 120V GFCI, 1x 120V twistlock, 1x 240V Twistlock, 12V DC	2x 120V 20A Duplex, 1x 120V 30A twistlock, 1x 120V/240V 30A twistlock, 1x 120V/240v 50A twistlock, 1x 12V DC 8.3A	4x Nema 5-15R
Low Oil Shutdown		√	√	√	
Sound Level (dB)	70	70	78	70	70
Tires (in)			8	8	13
Price	**342^{99}**	**567^{99}**	**1,049^{99}**	**2,188^{99}**	**86^{03}***

*Monthly price for a 48-month leasing (with 10% buy-back).

1 CarbonClean System
- For Gasoline fuel systems, 12 x 8 oz bottles.

400-0020
105.99

2 CarbonClean 1000 Fuel System Cleaning and Decarbonizing Service
- Complete, professional fuel injection cleaning and engine decarbonizing service
- Unique time saving adapter system makes connecting to the rail simple and fast
- An easy to use online application guide provides visual, step by step instructions
- Built in diagnostic capabilities.

500-0220
1,136.99

3 CarbonClean 1000 Fuel System Cleaning and Decarbonizing Service
- Complete, professional fuel injection cleaning and engine decarbonizing service
- Unique time saving adapter system makes connecting to the rail simple and fast
- An easy to use online application guide provides visual, step by step instructions
- Built-in diagnostic capabilities.

500-0245

36 months	48 months	60 months
101.47	82.22	70.84

UVS3100OF

4 TransTech IV+ 2-in-1 Automatic Transmission Fluid Exchange System
- The “one step” flow direction system allows you to connect inline and press Start, the TransTech IV+ measures the flow pressure and you can toggle to the correct flow direction. Simple and quick for set-up.
- In-line Treatment Injection System: Injects ATF Flush and Treatment quickly and easily.
- Expanded in-line adapter assortment: More European, Asian and North American coverage than ever.

500-1125B

36 months	48 months	60 months
121.29	98.28	84.67

UVS3706MI

5 CoolantClean III Professional Coolant Exchange and Flush Service Center
- 15-minute coolant exchange
- Allows for both static and dynamic operation
- New on-board waste tank has a 28 qt capacity
- Unique vacuum switch allows for cooling system depressurization
- Easy service filter.

500-5100P
2,506.99

6 SteerClean 1000 Power Steering Exchange Service
- Complete flush and exchange in 5 minutes
- Unit services both pump reservoir and remote reservoir systems
- Extra long wand provides easy access
- Easy-to-use connections.

500-7050
1,407.99

1 Combustion Leak Tester Kit

560000
81.99

2 Spotgun™ System
- Spotgun injector with R-12 and R-134a adapters
- Universal A/C dye cartridge (8 oz/240 mL)
- Service stickers.

471500A
93.99

3 Spotgun™/Micro-Lite™ Kit
- 50-watt Micro-Lite with 16 ft. cord
- Spotgun injector with R-12 and R-134a adapters
- A/C ExtenDye cartridge (8 oz/240mL)
- Includes UV enhancing glasses, service stickers and rugged storage case.

414500A
209.99

4 Coolant System Refill Tool
- Eliminates airlocks in vehicle cooling systems and refills in seconds, including the heater core
- Eliminates time consuming bleeding and purging
- Check for leaks while under vacuum
- Includes Venturi Connector with hose, fill hose with filter, 4 rubber adapters, universal cone adapter and storage case.

550000
162.99

Load Testers

Part No.	Load (A)	Ammeter	Voltmeter	Leads (ft)	Clamp Rating (A)	Lim. Warranty (Yr)	Price
6033	125	N/A	7-19V DIGITAL	2 14/3	300 A	1	203.99

Load Testers

Part No.	Load (A)	Ammeter	Voltmeter	Leads (ft)	USB Port	Printer	Lim. Warranty (Yr)	Price
12-1015	Resistance	N/A	9-15V DC	5	√	√	1	416.99

Kwikstart Micro Power Bank and Jump Starters

- Anti-voltage feedback protection
- Built-in superbright LED flashlight
- Dual USB charging.

Part No.	Voltage (V)	Cranking Assist Rating (A)	Lim.Warranty (Yr)	Battery Type	Price
6400	12	400	1	Lithium	154.99
6600	12	600	1	Lithium	188.99

Kwikstart Heavy-Duty Professional Jump Starter

- Pro-HD model, 12V, 22AH.

KS400
379.99

Battery Chargers

Part No.	Voltage (V)	Csa Continuous Rating (A)	Cranking Assist Rating (A)	Manufacturer's Boost Rating (A)	Type	Style	Clamp Rating (A)	Lim. Warranty (Yr)	Battery Type	Price
6012	6/12	70/60	250	N/A	Professional fast charger	Wheeled	400	5	A	547.99
9002	12	1.5	N/A	N/A	Automatic charger/accumulator	Under Hood	N/A	2	A, B, C	54.99
ESS6007B	12	40	130	N/A	Intellamatic™ charger	Wheeled	400	3	C, E, F (incl. Spiral Cell, Orbital™, Optima™)	773.99
ESS6008	12	60	270	N/A	ESS™ technology with 70A supply	Wheeled	400	3	C, E, F (incl. Spiral Cell, Orbital™, Optima™)	975.99
ESS6008MSK	12	60	270	N/A	ESS™ technology with 70A supply and memory port	Wheeled	400	3	C, E, F (incl. Spiral Cell, Orbital™, Optima™)	984.99
US20	6/12	40/40/10	200	330	Charger with 90-minute timer	Wheeled	400	2	A	369.99

A: Standard, Maintenance-Free B: Deep-Cycle C: AGM & Gel D: Small E: Sealed F: Flooded

Low Profile Truck Drain

Part No.	Description	Price
3665	Pump not included	366.99
3667	With rotary pump	470.99
3669	With electric pump	586.99

Call Us !

3665

3667
3669

1

2

3

4

5

6

7

1 Cooling System Test & Refill Kit

- Patent pending coupler saves the expense of up to three separate kits by combining pressure, vacuum and temperature testing capabilities
- Tests cooling system with engine on or off to pinpoint leaks or diagnose blown head gaskets, cracked block, or damaged head(s)
- Refills cooling system in minutes without trapping air that can cause overheating.

MV4525 **376.99**

Cooling System Pressure Test Kit

- Complete kit for testing cooling systems
- With adaptor for domestic and asian vehicles.

MV4530 **213.99**

Cooling System Air Evac Kit

- Universal kit for measuring the air-tightness of the system while empty and filling it back up with air.

MV4535 **215.99**

2 Cooling System Pressure Test Kit

MV4560 **61.99**

3 Large Funnel Adapter

- 24-1/2 inch diameter
- Use when larger draining area is required
- Molded plastic drain pan rests securely on top of used oil drains
- Can be used with pedestal or portable drain devices with 6 inches or larger drain.

3610 **75.99**

4 Pressurized Used Fluid Receiver - Value Series

- 45-72 inch bowl height adjustment
- Capacity: 18 gal / 68 L
- Large 14" / 2.5 gal telescoping bowl
- Accepts standard shop air up to 150 psi
- Preassembled castors with reinforced supports
- Includes combination evacuation hose / sight gauge, fixed air inlet regulator, pressure relief valve and user manual.

3601 **276.99**

5 Pressurized Waste Oil Drain

- Large 20-gallon capacity
- Extra large 18" offset bowl, height adjustable from 44" to 72"
- Stable low profile design
- Includes fixed air regulator, pressure relief valve and hose hanger.

3614 **715.99**

6 Pressurized Waste Oil Drain

- Pressurized waste oil tank and bowl made from high-strength polyethylene—no dents or corrosion
- Built-in oil filter drain, tool tray and sight gauge
- Very stable and easy to manoeuver
- Includes pop-off safety valve and fixed air regulator
- Compatible with all lubrication fluids.

3624 **860.99**

7 Used Fluid Drain/Evacuator Combo

- 25-gallon welded steel tank supported by heavy-duty 4" swivel casters and 6" fixed-axle wheels
- Powerful compressed-air operated venturi vacuum quickly draws fiuids from reservoirs
- Includes six evacuation wands of varying flexibility, diameter and length

3639 **641.99**

1 **14" Abrasive Chop Saw**
- 15.0A/4.0 HP (maximum motor HP) motor provides overload protection, increasing performance and durability
- Ergonomically designed "D" handle provides a more comfortable hand position, reducing fatigue and increasing productivity
- Quick-Lock vise allows for fast clamping on different size materials to increase productivity
- 45° pivoting fence allows for fast and accurate angle cuts
- Steel base.

D28710
258.99

2 **14" Heavy-Duty Chop Saw**
- 5.5 HP
- Increased performance & durability
- Quick-change blade.

D28715
351.99

3 **12" Sliding Mitre Saw**
- Integrated XPS cross cut positioning system
- Powerful 15A, 3,800 rpm motor
- Super efficient dust collection system captures over 75% of dust generated
- Mitres 60° to the right and 50° to the left
- Oversized bevel scale.

DWS780LST
967.99

4 **Multi Material Corded Oscillating Tool Kit**
- Powerful 3.0 amp motor provides strong cutting and sanding performance
- Quick Change accessory system without wrenches
- Dual-Grip variable speed trigger for ultimate speed and control
- Bright LED light.

DWE315K
230.99

5 **36V 1/2" Cordless Lithium-Ion Hammerdrill/ Drill/Driver Kit**
- Patented 3-speed all-metal transmission matches the speed to the application
- Heavy-duty 1/2" self-tightening chuck tightens throughout operation
- Enhanced durability and reliability to withstand the jobsite environment and the most demanding applications
- Anti-slip comfort grip provides increased comfort and control.

DC901KL
683.99

6 **20V Max® XR Lithium Ion Brushless 3-Speed 1/4" Impact Driver**

DCF895M2
393.99

7 **4-1/2" Paddle Switch Angle Grinder**
- 11A AC/DC 11,000 rpm motor which provides the best power to weight/size ratio available
- Dust Ejection System provides durability
- One-Touch Guard allows for 360 degree rotation of the guard with a single action
- Quick-Change ™ Wheel Release allows tool free wheel removal
- Paddle switch with safety lock-off.

DWE402
134.99

8 **5" / 6" High Performance Grinder with Trigger Grip**
- 13.0 A / 2.3HP, 9,000 RPM
- Dust Ejection System™
- One piece brush arm
- Jam-pot, low profile gear case
- Auto-off brushes
- Keyless adjustable guard.

D28065
204.99

9 **Medium Angle Grinder**
- 13 A AC/DC, 8,000 rpm motor for 7" grinding applications
- High power-to-weight ratio
- Rear handle design
- Sealed ball and roller bearings.

DW840
198.99

10 **20-V Cordless Drill and Impact Driver Set**
- Heavy duty 1/2" ratcheting chuck provides superior bit gripping strength
- Compact, lightweight design fits into tight areas
- High speed transmission delivers 2 speed for a range of fastening and drilling applications.

DCK280C2XB
395.99

11 **20V Lithium-Ion 3A Drill/Impact Combo Kit**

DCK290L2
486.99

12 **20V MAX Li-Ion 3.0 Ah 5-Tool Combo Kit**
- Patented 3-speed all-metal transmission and 1/2" self-tightening chuck
- Reciprocating saw with key-less blade clamp allows for quick blade change
- 1/4-Inch impact driver features 3 LED lights with 20 second delay to provide visibility.

DCK590L2
844.99

1 **FP95 Flux Cored Welding System**
- Applications include: Home DIY, farm /ranch, maintenance and repairs
- Primary voltage: 120 Volt
- Supply plug: NEMA 5-15P
- Lead cord length: 4ft (1.2m)
- Rated kVA @ 90 Amps: 2.5 kVA
- CSA approved.

1444-0322
630.99

2 **FP135 MIG and Flux Core Wire Welder**
- Quick-change internal polarity adjustment to switch welding modes
- Includes Tweco gun, return cable & clamp, input power cord & plug, spool of .030" flux cored wire and an operating manual
- Input: 115 V, 50/60 Hz
- Rated output: 20-135 A
- Duty Cycle: 40%.

1444-0326
968.99

3 **FP165 MIG and Flux Core Wire Welder**
- Quick-change internal polarity adjustment to switch welding modes
- 3/8" capacity
- Includes Argon regulator, Tweco® gun, ground cable, 200 A work clamp, power cord (without plug), 0.030 MIG welding wire.
- Input: 230 V, 60Hz, 20 A
- Output: Rated @ 130A, max. 155 A
- Rated duty cycle: 20%.

1444-0328
1,097.99

4 **Fabricator 180 MIG Welding Package & Cart**
- 180A, 208/230V, 1PH, 60HZ
- Power cord & NEMA 6-50P 230V plug
- 10' (3m) MIG gun, work cable and clamp
- Gas regulator / flowgauge and hose
- .024"-.030"/.035" reversible drive roll
- .030" solid wire starter spool
- Includes 3 extra contact tips and lifting handle.

W1002600
1,593.99

5 **Fabricator 3-in-1 Welder, Model 181i**
- Portable powerhouse designed to deliver from 10 to 180 Amps of welding output power from 208/230 VAC input. 4" or 8" spool capacity.

W1003181
1,303.99

6 **Fabricator 3-in-1 Welder, Model 211i**
- Maximum versatility! Accommodates 4", 8" and industrial size 33 and 44 lb. 12" spools
- 5-150 Amps @115VAC and 210 Amps of maximum output at 208/230 VAC input power for virtually any welding environment.

W1004201
1,608.99

7 **Fabricator 3-in-1 252i Package (MIG, TIG, Stick)**

W1004401
36 months **104.89** | 48 months **84.99** | 60 months **73.23**

FIR3205ND

8 **Thermal Arc 95S Stick Kit**
- Includes 95S inverter power source, Tweco Weldskill style electrode holder and ground clamp with 10' (3 m) lead, 20 A adapter plug & cable, 4 general purpose stick electrodes, operating manual, quick setup DVD and carry case.

W1003209
571.99

9 **Thermal Arc 186 AC/DC Stick/TIG Welder System with Foot Control**
- Multi-Process, complete Stick & TIG system solution ready for any application. Complies with Canadian and US Standards. High output duty cycle, ready to perform.

W1006303
2,979.99

10 **161S Stick/TIG Welding Package**
- Constant current DC stick & TIG welder
- Maximum output: 160 A M161
- Amperage range: 115 V 10-110 A, 230 V 10-160 A
- Input Voltage: 115/208-230 VAC, 1 PH, 50/60 HZ
- Rated Output: 115 V STICK 100 A/ 24 V @35%, TIG 110 A/ 14.4 V @30%, N159230V STICK 160 A/ 26.4 V @30%, TIG 160 A/ 16.4 V @30%
- CSA.

W1003609
1,271.99

Firepower

Auto-Darkening Welding Helmets

Part No.	Design	Price
1441-0085	Pinstripes	121.99
1441-0086	Piston & plug	
1441-0088	Skull	

1 OxyFuel 250 Tote with Tanks

0384-0995
470.99

2 200A Semi-Automatic Spool Gun

- Designed for FP200 & FP260
- 60% duty cycle with CO2 gas at 200A
- Wire size capacity .023" - .035" (0.6mm - 0.9mm)
- Compact design reduces operator fatigue
- Gun-mounted potentiometer enables easy adjustment of wire feed speed control
- 20' (8m) quick-connect cable system
- Easy to repair and maintain
- Fully assembled, ready to use MIG spool gun.

1444-0408
1,058.99

3 Tweco® Weldskill Auto-Darkening Helmet Skull & Fire

- 9-13 shade.

W4012000
404.99

4 OxyFuel 250-510C Outfit Box

0384-2571
297.99

5 350 Series OxyFuel Heavy-Duty Acetylene Outfit

- Cutting torch and handle are ready for multiple gas options; Oxy-Acetylene, Butane, Natural and LP Gases, and Propane
- Constructed with high strength alloy, heavy duty stainless steel and durable brass
- Simple to use high contrast gauges and ergonomic color coded knobs
- Cuts 1/8-inch to 5-inch and welds up to 1/2-inch steel.

0384-2682
387.99

6 250 Series OxyFuel Replacement Torch Kit

- Cutting torch and handle are ready for multiple gas options; Oxy-Acetylene, Butane, Natural and LP Gases, and Propane
- Constructed with high strength alloy, heavy duty stainless steel and durable brass
- Cuts 1/8-inch to 5-inch and welds up to 1/2-inch steel.

0384-2573
177.99

KCG-951G

KCG-1501G

KCG-8500GE

KCG-2000i

KCG-4200G

KCG-10000GE

Generators

Part No.	KCG-951G	KCG-1501G	KCG-2000i	KCG-4200G	KCG-8500GE	KCG-10000GE
Description	950W Generator	1500W Generator	2100W Generator	4200W Generator	8500W Generator	10000W Generator
Engine - OHV (HP)	2	3	4,5	7	15	15
Displacement (CC)	63	98	125	208	420	420
Running wattage (W)	800	1 200	2 000	3 500	6 250	7 500
AC Outputs	120V (6.7A)	2x 120V/10A	1(2x 120V/16.7A)	29.2A/14.6A	52A / 26A	62.5A/31.3A
DC Output	12V (5.3A)	12V (8A)	12V (8.3A)	120V/23.3A	120V/20A	
Run time	4-5	9	5-6	8-9	7-8	8-9
No load speed (RPM)	3 600	3 600	5 400	3 600	3 600	3 600
Unleaded Fuel	√	√	√	√	√	√
Fuel tank (L)	4,2	7	7	15	30	30
Oil capacity (L)		0,5	0,45	0,6	1.1	1,1
Noise Level (dB)		66	57	69	73	73
Price	**217^{99}**	**386^{99}**	**757^{99}**	**530^{99}**	**1,026^{99}**	**1,138^{99}**

Call Us !

1

2

3

4

1 2-Ton Folding Shop Crane

- 8 ton hydraulic ram features top-of-stroke and safety overload bypass system for maximum pump protection.
- Compact design with retractable boom and foldable legs (with safety pins extend to 68 1/2".)

KFC-2T
376^{99}

2 HVLP Gravity Feed Spray Gun Kit

- Industrial style with traditional fit and feel
- Separate adjustable fluid and spray pattern knobs for fine detailing or total coverage.

8190
67^{99}

3 Variable Speed Hand-Held Blower/Vacuum

- 116 CFM, max air speed 195 km/h (121 mph)
- Can be used as an air blower or a dust vacuum
- Variable speed
- Trigger lock-on button for continuous operation
- Compact, lightweight and easy to use
- Comes complete with soft flexible rubber blower nozzle and a vacuum dust bag.

8317
31^{99}

4 Stationary 6.5 Peak HP 60-Gallon Air Compressor

- 2 cylinder cast iron single stage oil lubricated pump
- 150 PSI max pressure for optimum tool performance
- 60 gallon ASME registered tank provides longer run times
- ASME safety valve
- Thermally protected American 6.5 peak HP motor with reset
- Belt drive with sturdy metal belt guard
- Large intake filters
- Heavy-duty 1/2" ball valve and easy to read tank pressure gauge
- Pump with "V" style design minimises vibrations, improves cooling and extends compressor life
- High efficiency reed valves for maximum performance.

KC6160V1
1,010^{99}

CFT-2606RD

CFT-2710RD

CFT-2712RD

CFT-4211RD

VRB-2707BK
VRB-2707BU
VRB-2707RD

VRT-4210BK
VRT-4210BU
VRT-4210OR
VRT-4210RD

VRB-2707BK
VRB-2707BU
VRB-2707RD

VRB-4211BK
VRB-4211BU
VRB-4211OR
VRB-4211RD

Cabinets and Tool Chests

Part No.	Type	Series	Size (in)	Drawers	Ballbearing	Color	Price
CFT-2606RD	Mechanic's Tool Chest	Classic	26 x 12 x 14-1/2	6		Red	**224^{99}**
CFT-2710RD	Mechanic's Tool Chest	Classic	26 x 17-7/8 x 20-1/2	10		Red	**371^{99}**
CFT-2712RD	Mechanic's Tool Chest	Classic	26 x 17-7/8 x 20-1/2	12		Red	**384^{99}**
CFT-4211RD	Mechanic's Tool Chest	Classic	40-1/2 x 17-7/8 x 20-1/2	12		Red	**518^{99}**
VRB-2707BK	Roller Cabinet	Value	27 x 18-3/4 x 31-1/4	7	√	Black	**380^{99}**
VRB-2707BU	Roller Cabinet	Value	27 x 18-3/4 x 31-1/4	7	√	Blue	
VRB-2707RD	Roller Cabinet	Value	27 x 18-3/4 x 31-1/4	7	√	Red	
VRB-4211BK	Roller Cabinet	Value	41-1/2 x 18 x 39-7/8	11		Black	**740^{99}**
VRB-4211BU	Roller Cabinet	Value	41-1/2 x 18 x 39-7/8	11		Blue	
VRB-4211OR	Roller Cabinet	Value	41-1/2 x 18 x 39-7/8	11		Orange	
VRB-4211RD	Roller Cabinet	Value	41-1/2 x 18 x 39-7/8	11		Red	
VRT-2706BK	Mechanic's Tool Chest	Value	26 x 17-7/8 x 18-15/16	6	√	Black	**312^{99}**
VRT-2706BU	Mechanic's Tool Chest	Value	26 x 17-7/8 x 18-15/16	6	√	Blue	
VRT-2706RD	Mechanic's Tool Chest	Value	26 x 17-7/8 x 18-15/16	6	√	Red	
VRT-4210BK	Mechanic's Tool Chest	Value	40-7/8 x 16 x 19-1/4	10		Black	**493^{99}**
VRT-4210BU	Mechanic's Tool Chest	Value	40-7/8 x 16 x 19-1/4	10		Blue	
VRT-4210OR	Mechanic's Tool Chest	Value	40-7/8 x 16 x 19-1/4	10		Orange	
VRT-4210RD	Mechanic's Tool Chest	Value	40-7/8 x 16 x 19-1/4	10		Red	

Call Us !

030102 030103 030104 030105 030106 030107 030110 030111

Bottle Jacks

Part No.	Model	Capacity (T)	Style	Min.Height (in)	Max.Height (po)	Lift	Screw Ext. (in)	Price
030102	302A	2	Standard	6-1/4	12-3/4	4	2-1/2	33.96
030103	304A	4	Standard	6-1/2	13-1/4	4-1/2	2-1/2	48.99
030104	306A	6	Standard	7-3/4	15-1/2	5	2-3/4	54.99
030105	308A	8	Standard	7-3/4	15-1/2	5	2-3/4	79.99
030106	312A	12	Standard	8-1/2	17	5-3/4	2-3/4	101.99
030107	314A	12	Low Profile	7	13	4	2-1/4	101.99
030110	320A	20	Standard	9-5/8	18	6	2-1/4	138.99
030111	322A	20	Low Profile	7-3/4	14-1/4	4	2-1/4	138.99

Hydraulic Bottle Jacks

Part No.	Model	Capacity (T)	Description	Min.Height (in)	Max.Height (po)	Lift (in)	Screw Ext. (in)	Price
030157	380C	20	Air-Hydraulic	10-1/2	20	6-1/4	2-1/2	431.99

Floor Jacks

Part No.	Model	Capacity (T)	Description	Min.Height (in)	Max.Height (po)	Handle (in)	Overall H. (in)	Price
030406	965GTO	3-1/2	Heavy Duty	4	19-1/2	50-1/4	29	420.99

728C 955 959

Service Jacks

Part No.	Model	Capacity (T)	Description	Min.Height (in)	Max.Height (po)	Ram Lift (in)	Overall H. (in)	Price
030445	728C	20	Air/Hydraulic Heavy-Duty	8-3/4	17-3/4	4-3/4	20	980.99
030434	955	5	Heavy-Duty	6	22-1/2	N/A	59	1,065.99
030466	959	10	Air/Hydraulic Heavy-Duty	7	23	N/A	61	1,775.99

Call Us !

Shinn Fu

Magic Lift Service Jacks

Part No.	Cap. (T)	Height (in)	Handle (in)	Saddle (in)	Price
27035	3-1/2	4 - 21-5/8	49-7/8	4-3/4	340.99
25057	5	6-1/2 - 22-1/4	40	6-1/2	780.99

Hein Werner 3-Ton Service Jack

HW93652
694.99

5-Ton Long Chassis Service Jack

- Wide stance and low center of gravity provide optimum stability under load stress
- Heavy gauge, steel frame
- Handle-actuated release valve provides precise metered control of lowering speeds
- Convenient foot pedal designed for fast, no load lifts.

22050C
834.99

Distribution PDG

1 **Autel MaxiSys Pro Diagnostic Scanner**
- Evolutionary smart solution for specialized automotive diagnosis and ECU programming
- Offers many of The prestigious qualities of The MaxiDAS DS708 with extreme ease of use and Powerful diagnostic performance.

AULMS908
2,840.99

2 **Wheel Bullets**
- Anodized aluminum, pack of 6.

AETWEB6
40.99

3 **39-Piece Strut/Shock Installation Tool Kit**
- Use for repairs and maintenance on front suspensions struts and shocks
- Precise and complete: Kit contains 14 sockets and 25 adapters with a complete application chart included
- Kit provides comprehensive coverage for most European, Asian and domestic vehicles.

JSP78554
422.99

4 **Universal Press Support**
- For demounting and mounting jobs
- 3-point contact guaranties a perfect, non swivelling and safe support.

MLK432650
662.99

5 **JS Wireless Chassis Ear**
- Wireless channel receiver isolates up to 4 different transmitter locations
- LED lights for signal strength on active channel
- Illuminated button indicates active channel at a glance
- Adjustable volume control, on/off switch
- Listen via built-in speaker or earphones.

JSP97202
389.99

CP860

CP9106QB

Die Grinders

Part No.	Chuck (in)	RPM	Avg Air Cons.	dBA	Price
CP860	1/4	24 000	5	90	160.99
CP9106QB	1/4	22 000	4.35	80	120.99

Angle Grinders

Part No.	Pad (in)	Spindle	RPM	Avg Air Cons.	dBA	Price
CP9122BR	4,5	5/8-11	12 000	13	81	257.99

Impact Wrenches

Part No.	Drive (in)	Max.Torque (ft-lbs)	dBA	Includes	Price
CP8848K	1/2	775	89	2 batteries, charger & case	432.99

Sanders

Part No.	Pad (in)	Spindle	RPM	Avg Air Cons.	dBA	Price
CP7255	6		12 000	8	81	197.99

CP7732

CP7749

CP7763

CP7769

CP7729

Air Impact Wrenches

Part No.	Drive (in)	Max.Torque (ft-lbs)	Avg Air Cons.	dBA	Price
CP7729	3/8	415	5	91	254.99
CP7732	1/2	450	4,8	94	167.99
CP7749	1/2	725	4,7	94	298.99
CP7763	3/4	1 200	7,5	96	513.99
CP7769	3/4	1 440	7,75	97	610.99
CP7782-6	1 x 6	2 600	4,8	100	630.99


CP7782-6



4" Angle Cut-Off Tool Extended Reach

- 4" (100 mm) for better reach and easy access to restricted areas
- Composite grip to reduce cold air transmission to operators
- Spindle lock system for easier wheel changing
- 11-position adjustable swivel guard.

CP9116
245.99

1/2" Hammer Drill Driver

- Ultra-compact
- LED lighting for dimly lit work areas, and variable speed trigger
- Ergonomic handle.

CP8528K
237.99

DCS300

DCS400-05

DCS400-09

Call Us !

Video Inspection Tools

Part No.	DCS300	DCS400-05	DCS400-09
Monitor (in)	3.5	3.5	3.5
Wireless monitor		√	√
Recording		√	√
Vision	60°	60°	60°
LEDs	2	2	4
MicroSD Memory Card		2GB	2GB
Battery	9V	2 Li-ion	2 Li-ion
Probe	12mm	5.5mm	9mm
ACCESSORIES			
Magnetic Shaft	√		
Hook	√		
Mirror	√	√	√
Thread Protector	√	√	√
Price	304.99	663.99	451.99

Cordless Precision Engraver

- Features diamond tip bit, unique tri-lobe ergonomic grip.

505
24.99

Digital Sound Meter

DSM8925
118.99

Thermal Imaging Camera

- Reveals hidden heat-driven processes and problems
- Converts objects' infrared (IR) radiation to visible color images, allowing the detection of very small temperature differences from a distance.

GTI10
2,823.99

Sound Level Calibrator

- Conforms to ANSI S1.40-1984 and IEC0942:2003 Class 2
- Fits 1", 1/2" and 1/4" diameter microphones
- Internal battery test
- CE and RoHS approved
- Output Levels: 94 dB and 114dB ±0.5dB at reference conditions
- Total Harmonic Distortion: <2%
- Includes: 2 microphone adapters, 9V battery and carrying case.

SCAL1356
383.99

1 10-Piece Heat Gun Kit
- Motor: 120 V, 12.5 A
- Blowing Speed: Low 400 litres/min (14.1 CFM) and High 550 litres/min (19.4 CFM)
- Air Temperature: Low 375°C (700°F) and High 495°C (925°F)
- Window nozzle, reflector nozzle, focus nozzle and reduction nozzle
- Paint scraper and shavehook scraper handle with 3 attachable blades.

011981 **32.99**

2 1/2" Electric Impact Wrench
- 120 V, 7 A
- 4 impact sockets: 11/16", 3/4",13/16" and 7/8"
- Impact rate: 2,700 BPM
- Maximum torque: 230 ft/lb.

011903 **136.99**

3 Metric Combination Wrench Set
- Industrial quality drop-forged Chrome Vanadium steel
- Heat treated for professional use
- Raised panel for increased strength
- Chrome plated for corrosion resistance
- Complete with Terylene roll pouch

- 10-Piece Jumbo S.A.E. Combination Wrench Set
- S.A.E.: 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8, 1-11/16, 1-3/4, 1-13/16, 1-7/8, 2".

020202 **197.99**

- Jumbo Metric Combination Wrench Set
- Metric : 33, 35, 36, 38, 41, 43, 44, 46, 48, 50mm.

020203 **197.99**

4 1/2" Drive Torque Wrench
- Click type
- Knurled handle
- Accurate to +/- 4%
- Lock-nut to lock handle
- Includes 1/2" F - 3/8" M adaptor and one 1/2" x 5" extension
- Includes blow mould case
- Adjustable from : 10 – 150 ft/lbs.

021811 **68.99**

5 1,250lb U-Shape Engine Stand
- 360° swivel head, 4 swivel casters and stable base.

024841 **197.99**

6 3-Ton Hydraulic Service Jack
- Conforms to ANSI Standards
- Incorporates Safety Overload to prevent overloading
- Two-piece handle comes with rubber grip
- Rear swivel castors.

024827 **208.99**

7 IDMM-100 Digital Multimeter
- Measures DC current, AC/DC voltage, resistance, and more!

027551 **23.99**

8 21-Piece 3/4" Drive S.A.E. Socket Set
- Chrome Vanadium steel
- 20" round head ratchet
- 18" sliding T handle
- 4" and 8" extensions
- Popular 12 point sockets.

020141 **260.99**

9 13-Piece 1/2" Drive Air Impact Wrench Set
- Twin hammer
- Includes 8 sockets, extension shaft, air fitting, oil and blow-moulded case.

028219 **122.99**

10 200-Piece Mechanic's Tool Set
- Chrome Vanadium steel sockets and drive tools
- 1/4", 3/8", and 1/2" drive S.A.E. and Metric sockets in 6 point, 12 point, regular, and deep styles for maximum versatility
- Quick release 36 tooth ratchets with heavy duty pawls exceed ANSI standards.

020304 **197.99**

11 49-Piece 3/8" Drive S.A.E. / Metric Socket Set
- Chrome Vanadium steel
- 8" quick release ratchet
- 3" and 6" extensions
- Universal joint
- Popular 6 point sockets
- Features full range of S.A.E and Metric, regular and deep sockets.

020125 **133.99**

Heavy-Duty Parts Washers
- Lid hinge equipped with fusible link for added fire safety.

Part No.	Cap. (Gallons)	Tank (L)	Price
355003	40	70-83	428.99

Socket Wrench Set

Part No.	Pieces	Type	Points	Drive (in)	Price
600341	55	SAE / Metr.	6	1/2	327.99

Chop Saw Cut-Off Wheels

Part No.	Description	Application	Size (in)	Grit	Max.RPM	Price
501146	Super Chop T1	Steel	14 x 3/32 x 1	A36	4 400	9.99

Torque Multiplier Kits
- Used to multiply applied force for setting and removing high torque fasteners
- Planetary gear system multiplies input force many times
- Torque multipliers lower physical effort, resulting in smooth, steady application of torque and increased accuracy
- Permits application of high torque without use of a long lever
- Can be driven with a torque wrench.

Part No.	Size (in)	Torque (ft/lb)	Duty	Price
719072	1/2	1100	Heavy-duty	735.99
719074	1/2	1850	Heavy-duty	924.99

Torque Wrenches

Part No.	Size (in)	Torque (ft/lb)	Duty	Price
718918	3/4	600	Standard	678.99
718922	1	700	Standard	967.99

Ratchet Wrenches

Part No.	Description	Price
673922	270° swivel, 72 teeth, 3/8" drive	53.99



1-1/2 x 1/2 x 3/8 T1 Resin Bonded Straight Wheel
- Ideal for heavy weld preparation, casting clean-up and many other applications
- For use on all air and electric die grinders and straight shaft end grinders.

523303 **4.99**

4-Piece Burr Set

534192 **79.99**

Premium Black and Gold Drill Bit Set, 29 pieces
- 135° split point drill bit set, Jobber length.

570146 **111.99**

HTA1000

HTA1118

HTA1144



HTA1109

HTA1136

Gauges

Part No.	Description	Type	Range	Sweep	Price
HTA1000	Hourmeter	Electr.	0 - 9999.9	--	67.99
HTA1109	Voltmeter	Electr.	8-16V	90°	33.99
HTA1117	Fuel Level (Gauge Kit)	Electr.	E - F	--	57.99
HTA1118	Water Temperature	Mec.	130°-180°	90°	37.99
HTA1136	Water/Oil Temperature	Electr.	130°-290°	90°	45.99
HTA1144	Oil Pressure	Mec.	0 - 80 PSI	90°	28.99

HTA1117

Ford Spark Plug Repair Kit

- Repairs damaged cylinder heads from spark plug thread erosion and shooting spark plugs out with a patented "alloy steel insert"
- For Ford Triton Modular Engines (1996-2003), 4.6L, 5.4L, 6.8L and V10
- Takes about 15 minutes to repair a cylinder.

H3660
588.99

CLIPLIGHT
BETTER BY DESIGN.

588 / CLT

Hemi Series LED Work Light

Part No.	Type	Rating	Recharg.Battery	Price
114301	Mini HemiTech[MC] DEL	1000 / 500 Lumens	√	72.99

Chrome Cord Reel Work Lights

- Clear lighted TriTap 13 amp circuit breaker, mounting hardware including bench mount option
- 30' / 9.2 m 14/3 SJTW cable.

222308
124.99



123107

123307

HemiPro Series LED Work Lights

Part No.	Type	Beam	Length (ft)	Rating	Wire	Price
123107	HemiPro[MC] 1 DEL	84°	25 (7.5m)	620 Lumens	18/2 SJOW	97.99
123307	HemiPro[MC] 3 DEL	70°	25 (7.5m)	540 Lumens	18/2 SJOW	107.99

Call Us !



1 Large Convertible Internal/External Snap Ring Plier

3151 **31.99**

2 Wheel Weight Pliers

3358 **36.99**

3 CV Boot Clamp Tool

- Allows for proper installation of CV Boot. Crimps joints with center pushing feature.
- Works with hand 1/2 drive ratchets or torque wrench.

3955 **30.99**

4 Pitman Arm Puller

- Universal puller adapts to the majority of cars and light trucks.

2289 **31.99**

5 Screw Extractor Set

- Removes broken studs, set screws, pipe and grease fittings.

720 **17.99**

6 3/8" Drive 25-250ft/lb Micrometer Torque Wrench

85051 **154.99**

7 Micrometer-Type Torque Wrench

85065 **536.99**

8 Micrometer-Type Torque Wrench, 1/2" Drive

85066 **167.99**

9 1/2" Drive Electronic Torque Wrench 25 - 250 ft/lb

85071 **357.99**

10 12-Piece Snap Ring Pliers Set

3495 **193.99**

11 16-Piece Metric Master Ratcheting Wrench Set

9416 **251.99**

12 Harmonic Balancer Puller

- Puller includes 3/8-24 UNF, 5/16-18 UNC, 3/8-16 UNC and 10mm x 1.5 screws for most American and imported cars.

2286 **24.99**

13 MacPherson Strut Spring Compressor

- Maximum capacity: 6" OD
- Wire diameter: 5/8".

3387 **67.99**

HSK1210L

MHSK1210L

PSDK3409

SK124

PSK128

SK1220

SK12620

SK12633

SK3421

SK3820

SK3857

SKC1442

SKT12T

SKT20

Call Us !

Socket Sets

Part No.	Pieces	Type	Description	Drive (in)	Price
HSK1210L	10	SAE Long Hex Drive Socket Set	- 3/16" to 5/8" bits	1/2	102.99
MHSK1210L	10	Metric Long Hex Drive Socket Set	- 5 to 17 mm bits	1/2	118.99
PSDK3409	9	Deep Impact Socket Set - SAE	- 6-point sockets 1" to 1-1/2" - Includes a steel case.	3/4	165.99
PSK128	18	Impact Socket Set - SAE	- 6 point sockets, 7/8" to 3-1/2". - Metal box.	1"	1,110.99
SK124	24	SAE Socket Set	- Sockets 1-7/16", 1-1/2", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 2", 2-1/8", 2-3/16", 2-1/4", 2-3/8", 2-1/2", 2-5/8", 2-3/4", 2-15/16", 3-1/8" - Ratchet head, 6" extension, 22" bar, T-bar head, universal joint - Includes metal box.	1/2	1,039.99
SK1220	20	SAE Socket Set	- Standard 12 points: 7/16" to 1-1/4". - Quick-release ratchet; 16" flex handle; universal joint; 5" and 10" extensions - Includes high impact case.	1/2	130.99
SK12620	20	Professional Series Socket Set - SAE	- 6-point sockets: 7/16" to 1-1/4" - Quick-release ratchet, 16" flex handle, universal joint, 5" & 10" extensions and high-impact case.	1/2	130.99
SK12633	33	Professional Series Socket Set - SAE	- Standard 6-point: 7/16" to 1-1/4" - Deep 6-point sockets: 1/2" to1-1/4" - Includes quick-release ratchet, universal joint, 5" & 10" extensions, 16" flex handle and high impact case.	1/2	230.99
SK3421	21	Socket Set - SAE	- 12 points: 7/8" to 2" - Quick-release ratchet; 18" sliding T-handle; 4" extension; 8" extension; 16" extension - Includes high impact case - Molded case.	3/4	368.99
SK3820	20	Professional Series Socket Set - SAE	- Standard 6-point: 3/8" to 3/4" - Deep 6-point: 3/8" to 13/16" - Quick-release ratchet, flex handle, universal joint, 3" extension and high impact case.	3/8	111.99
SK3857	57	Professional Quality Socket Set	- 11 Standard SAE sockets - 6 point: 1/4" to 7/8" - 10 Deep SAE sockets - 6 point: 5/16" to 7/8" - 16 Standard metric sockets - 6 point: 6 mm to 19 mm, 21 mm, 22 mm - 12 Deep metric sockets - 6 point: 8 mm to 19 mm - Quick-release ratchet, universal joint, 3" extension, 6" extension, 10" extension, 5/8" & 13/16" spark plug socket and high impact case.	3/8	174.99
SKC1442	42	SAE/Metric Socket Set	- Regular/deep 6-point sockets: 3/16" to 1/2" and 4 mm to 12 mm.	1/4	110.99
SKT12T	12	Tamper-Proof Torx Bit Socket Set	- T10 to T60 bits	1/4, 3/8	54.99
SKT20	20	Torx Socket Set	- T10 to T60 bits - E6 to E18 bits	1/4, 3/8	100.99

Wrench and Socket Sets

Call Us !

Part No.	Pieces	Description	Price
SKC90	90	1/4, 3/8 & 1/2 drive professional set	242.99
SKC205	205	SAE & Metric super set	387.99

SKC90

SKC205

SDK12

SK10

SDPK15

SK9

Screwdriver Sets

Part No.	Pieces	Description	Price
SDK12	12	With blow-molded case	68.99
SDK45	45	With blow-molded case	41.99
SDPK15	15	With storage case	52.99
SK10	10	Pro-Series	77.99
SK9	9	3 x Phillips, 3 x Robertson, 3 x slotted	77.99

SDK45

27-Piece Professional Series 3/8" Drive Socket Set - Metric

- Standard 6-point sockets: 8 , 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- Deep 6-point sockets: 8, 9, 10, 11, 12, 13, 14, 15, 17, 19 mm
- Quick release ratchet, universal joint, 3" & 6" extensions.

MSK3827
143.99

646-Piece Master Tool Set

- 42" heavy-duty roll cabinet with 41.4" tool box
- Ball bearing drawer slides
- Complete selection of SAE and metric sockets in 1/4", 3/8" and 1/2" drive
- Fully polished SAE and metric wrenches. 110-piece tap and die set.

SKC700A

36 months	48 months	60 months
178.16	141.53	120.16

WSW5725UG

Insulated Screwdriver Set - 12 Pieces

- 3:1 Ratio

SK12E
163.99

1" Drive Impact Adapter

- 1"(F) x 3/4"(M).

PSA1034
30.99

19

20

21

1923454

1923455

1923456

22

27ZR

Vise-Grip© Tools

Part No.	Model	Fast Release	Description	Length	Jaw Cap.	Price
19	11R	√	Original Locking Clamp	11" (275 mm)	4" (102 mm)	21.99
20	11SP		Locking Clamp w/ Swivel Pads	11" (275 mm)	4" (102 mm)	23.99
21	18R		Original Locking Clamp	18" (455 mm)	8" (203 mm)	32.99
22	18SP		Locking Clamp w/ Swivel Pads	18" (455 mm)	8" (203 mm)	32.99
27ZR	20R		Locking Chain Clamp	9" (225 mm)	18" (455 mm)	31.99
1923454	5WR		Multi-Tool Curved Jaw w/ Wire Cutter	5" (125 mm)	1-1/8" (29 mm)	29.99
1923455	6LN		Multi-Tool Long Nose	6' (150 mm)	2" (51mm)	30.99
1923456	5CR		Multi-Tool Curved Jaw	5" (125 mm)	1-1/8" (29 mm)	30.99

4935580

71

2078712


8107ZR

1837249

Vise-Grip© Tool Kits

Part No.	Includes	Description	Pieces	Price
2078712	GrooveLock 8", 10", 12" - 10" Adjustable wrench 8" Long Nose pliers - 8" Linesman's pliers 6" Diagonal Cutter - 6" Slip Joint pliers - Kitbag	GrooveLock Pliers	8	127.99
4935580	10CR, 7CR & 5CR	Original Curved Jaw Pliers	3	41.99
8107ZR	6R (2), 11R (2), 18R (2), 24R (2)	Original Locking Clamps	8	195.99
71	10CR, 7R, 6LN, 5WR, pouch	Original Locking Clamps	4	56.99
1837249	2078108, 2078110, 4935351, 502L3, 702L3, 902L3, 1402L3, 4935576 & 4935578	Locking & GrooveLock Reach Pliers	10	151.99

5-Piece BOLT-GRIP™ Base Set
- Includes bolt extractors to remove bolts sizes: 11mm, 14mm, 16mm, 3/8", 7/16", 1/2", 9/16", 5/8" in drive size 3/8".

394001
38.99

1

2

3

4

5

6

7

8

1 Pneumatic Fan Clutch Wrench
- Quickly removes and installs fan clutch when repairing the water pump or fan clutch
- Wrench sizes are 36mm, 1-1/2", 1-9/16", 41mm, 42mm, 1 7/8" and 2"
- Comes in blow molded storage case.

43300
221.99

2 Ball Joint, Truck Brake Anchor Pin, U-Joint Press Tool
- Tough and versatile tool
- Removes and installs press fit type ball joints found on cars and light trucks, and makes makes removing and installing truck brake anchor pins fast and easy
- Comes with detailed instructions and a heavy-duty plastic storage case.

43620
222.99

3 Broken Spark Plug Remover for Ford Triton 3 Valve Engines
- For 2004 and newer Triton 3 valve per cylinder engines.
- Blow-molded storage case included.

65600
113.99

4 Universal Camshaft Bearing Tool

18000
264.99

5 Red Large Wheel Creeper
- This popular plastic creeper is now available with larger, 4" pop-in urethane wheels.

92032
129.99

Low Profile Plastic Creeper, Red
- 38"L x 17-1/2W x 4" H, with 7/8" floor clearance
- Easy to clean surface is resistant to solvents, greases and fuels
- Built-in threaded inserts for easy addition of a light holder and tool tray
- Body-fitting design.

92102
100.99

6 Blue Large Wheel Creeper
- The popular plastic creepers are now available with larger, 4" pop-in urethane wheels.

94032
129.99

Blue Plastic Creeper
- 38" L, 17-1/2" W, 4" H, with 7/8" floor clearance
- Provides added strength and easy roller replacement
- Easy to clean surface is resistant to solvents, greases and fuels.

94102
100.99

7 Pipe Stretcher Kit
- Expands all types of exhaust pipe, including stainless steel, from 1-5/8-Inch to 4-1/4-Inch in size
- Inexpensive alternative to hydraulic pipe expanders
- Comes in a molded storage case.

17350
302.99

8 Master Disconnect Set
- Contains 8 popular disconnect tools for A/C and fuel lines
- A complete set of disconnect tools that can be stored in a handy blow-molded case
- All disconnect tools are also available individually.

39900
71.99

1 Wheels-On Rotor Gauge
- Measures the rotor without removing the wheel to pre-qualify brake jobs
- Digital read-out with push button inch/metric conversions
- Range is 0-3.5"/.01 mm
- Graduations are .001"/.01 mm.

3M335
109.99

2 Storm™ Electronic Digital Caliper
- Easy to read LCD display with standard/metric conversion
- 0 to 6" (0 to 150 mm)
- Graduations : 0.0005" (0.01 mm)
- Use for inside, depth and step measurements.

3C301
31.99

3 Storm™ Wheels-On Drum Gauge
- Range 0-18" / 0-457 mm
- 0.001"/0.01 mm graduations.

3B630
312.99

4 Storm™ Digital Rotor Gage
- Easy to read display with measure conversion
- Range : 0 to 5.6"/0 to 144 mm
- Graduations : 0.001"/0.01mm
- Deep arms allow full inspection of the rotor face and the pointed anvil to get into the scores for an accurate measurement.

3M430
70.99

5 13W Heavy-Duty Bounce Lite® Work Light
- On 40' cord
- Bounces instead of breaking when dropped (Bounce Bulb technology).

12010
167.99



Call Us !

Tire Changing Tools

Part No.	Model	Description	Length (in)	Stock	Price
34645	T45A	Tubeless Truck Tire Iron	37 (94 cm)	3/4" (19 mm)	83.99
34647	T45AHD	Heavy-Duty Tubeless Tire Iron	41 (104 cm)	7/8" (22mm)	107.99
34747	T46A	Straight Mount/Demount Tool	36 (91 cm)	3/4" (19 mm)	80.99
34847	T47A	Super-Duty Tubeless Tire Iron	52 (132 cm)	1 (25.4 mm)	197.99



Super Serpent™ 5 Piece Tire Changing Set

35446
437.99

TOPRING

1 Inflator Gauge with Clip-On Air Chuck and Dual Foot air Chuck
- Dual Foot 72" 0-174PSI

63-651
102.99

2 Maximum Safety Blow Gun with 4" Tube, Red
- Rubber tip model eliminates scratching on delicate surfaces
- Air flow is variable depending on the amount of pressure applied to the lever
- Noise level of 77 dB @ 87 PSI
- Maximum Operating Pressure at 150 PSI.

60-389
40.99

3 AirPro Standard Blow Gun, 6 mm Tube
- 6mm tube, blue.

60-320
15.99

4 Non-Restricted Long Blow Gun with 8mm Tube
- 20" (8mm), red.

60-395
30.99

5 AirPro Standard Blow Gun, 8 mm Tube

60-390
16.99

6 Inflator Gauge Professional - Heavy Vehicles
- 78" 0-170PSI.

63-692
115.99

7 Pistol Grip Dial Inflator Gauge with Clip-On Air Chuck
- Clip-On 15" 0-90PSI.

63-711
42.99

STANLEY Engineered Fastening

Master Thread-Repair Set

5621
211.99

Fine Thread Repair Master Kit, SAE

5625
306.99

Fine Thread Repair Master Kit, Metric

5626-125
193.99

Coarse Thread Repair Master Kit, Metric

5626-150
179.99

MPT-58 SERIES

MCW-WR SERIES

MFF-05 SERIES

MG-03 SERIES

Gloves

Part No.	Description	Size	Price
MCW-WR-009	Cold Weather Wind Resistant Gloves	S - 8	25.99
MCW-WR-009	Cold Weather Wind Resistant Gloves	M - 9	
MCW-WR-010	Cold Weather Wind Resistant Gloves	L - 10	
MCW-WR-011	Cold Weather Wind Resistant Gloves	XL - 11	
MCW-WR-012	Cold Weather Wind Resistant Gloves	XXL - 12	
MFF-05-008	FastFit® Gloves, Black	S - 8	14.99
MFF-05-009	FastFit® Gloves, Black	M - 9	
MFF-05-010	FastFit® Gloves, Black	L - 10	
MFF-05-011	FastFit® Gloves, Black	XL - 11	
MFF-05-012	FastFit® Gloves, Black	XXL - 12	
MG-03-008	Original® Gloves, Blue	S - 8	20.99
MG-03-009	Original® Gloves, Blue	M - 9	
MG-03-010	Original® Gloves, Blue	L - 10	
MG-03-011	Original® Gloves, Blue	XL - 11	
MG-03-012	Original® Gloves, Blue	XXL - 12	
MPT-58-008	M-Pact® Gloves, Black / Gray	S - 8	28.99
MPT-58-009	M-Pact® Gloves, Black / Gray	M - 9	
MPT-58-010	M-Pact® Gloves, Black / Gray	L - 10	
MPT-58-011	M-Pact® Gloves, Black / Gray	XL - 11	
MPT-58-012	M-Pact® Gloves, Black / Gray	XXL - 12	

DYNALINE

Galvanized Steel Cable (Aircraft Cable)

Part No.	Description	Cable Diam. (in)	Break Strength (lbs)	Spool Length (ft)	Price / Ft
77001	7 x 7	3/32	920	500	0.08
77002	7 x 7	1/8	1,700	250	0.10
77004	7 x 19	3/16	4,200	250	0.25
77005	7 x 19	1/4	7,000	250	0.37
77006	7 x 19	5/16	9,800	250	0.58
77007	7 x 19	3/8	14,400	250	0.75
77015	7 x 19	1/4	7,000	1,000	0.61
77017	7 x 19	3/8	14,400	1,000	0.64



Call Us !

Chain

- Made to NACM specifications (not to be used in overhead lifting applications).
- Grade 30 chain made of class 3 low carbon steel, zinc finish
- Grade 70 chain made of class 7 hardened/tempered alloy steel, yellow dichromate finish.

Call Us !

Part No.	Description	Application	Size (in)	Inside (in)	W.L.L. (lbs)	Weight/100' (lbs)	Format	Price / Ft
70003	Grade 30 coil chain	General	3/16	0.98 x 0.30	800	29	250' pail	0.95
70004	Grade 30 coil chain	General	1/4	1.24 x 0.38	1300	52	141' pail	1.22
70005	Grade 30 coil chain	General	5/16	1.29 x 0.44	1900	86	92' pail	1.80
70006	Grade 30 coil chain	General	3/8	1.38 x 0.55	2650	124	63' pail	2.63
70022	Grade 70 transport chain	Farm/truck load, towing, constr., logging	3/8	1.38 x 0.55	6600	145	400' drum	3.02
70023	Grade 70 transport chain	Farm/truck load, towing, constr., logging	1/2	1.79 x 0.72	11300	264	200' drum	5.65
70025	Grade 70 transport chain	Farm/truck load, towing, constr., logging	5/16	1.29 x 0.44	4700	100	90' pail	2.88
70026	Grade 70 transport chain	Farm/truck load, towing, constr., logging	3/8	1.38 x 0.55	6600	145	64' pail	3.46

ERICKSON MANUFACTURING LTD.

Tarp Straps (EPDM Rubber)

Part No.	Size (in)	Price
06701	10	0.99
06702	15	
06703	21	1.99
06704	31	

Non Folding Arched Aluminium Ramps
- 3000lb rating per pair.

07486
397.99

Combination Loading Ramp
- 1500lb rating, 54 x 84".

07484
308.99

Deluxe Ratchet Strap with Clamp and Hooks
- 1.25" x 12' ratchet strap (pack of 2)
- 2000lb capacity
- Spring loaded web clamp holds excess web when in use, saftey hooks helps to keep load secure.

31353
21.99

Hurricane Tape

Part No.	Size (in x yds)	Price
554-245B	1 x 60	7.99
554-246B	2 x 20	6.99
554-247B	2 x 60	12.99
554-248B	3 x 60	17.99

Cold Weather Tape
- 3/4" x 66', 8 mil
- Cold resistant and flame retardant
- Temperature rating -19°C to + 90°C.

554-100B
1.99

Electrical Tape
- 3/4" x 66', 7 mil, 10-pack
- Cold resistant
- Temperature rating -7°C to + 80°C.

554-500
0.99

Kwik Bandit Straps

Part No.	Description	Size (in)	Pack	Price
KB10-8	Mini Strap	8	1	0.99
KB10-8-200	Mini Straps	8	200	94.99
KB10-8-5	Mini Straps	8	5	2.99
KB50-14	Strap	14	1	3.99
KB50-14-5	Straps	14	5	16.99
KB50-14-50	Straps	14	50	151.99
KB50-24	Heavy-Duty Strap	24	1	5.99
KB50-24-5	Heavy-Duty Straps	24	5	25.99
KB75-24-50	Heavy-Duty Straps	24	50	220.99
KB75-24-75	Heavy-Duty Straps	24	75	331.99

Call Us !

Uni-Rods

Part No.	Size (in)	Price
141-318	3/8 - 16	3.99
141-322	1/2 - 13	4.99
141-326	3/4 - 10	13.99



1 "T" Handle Heavy-Duty Locking Assembly
- 2" travel, 3/16 OD casing, .062" HC core wire, 1/2-20 housing thread.

310-181
23.99

2 120" Power Take Off Control
- 4" travel, 5/16" vinyl coated casing, .093" stainless core wire
- 7/16-20 housing thread.

310-194
33.99

3 120" Push-Pull Control

310-216
70.99

4 Mechanic's Wire
- 18 gauge (0.047"), 330'.

314-218
5.99

Choke Conversion Kit (not shown)
- Universal kit (for most American made cars), with 60" cable.

310-250
13.99

MÄKTIG™

901003
901004
901005

Sensitive Touch
- High sensitivity touch
- High dexterity level
- Comfort flex-fit reduces muscle fatigue
- Textured grip for picking up small parts

901013
901014
901015
901016

Ultra-Stretch
- Excellent sensitivity
- High elastic stretch breaking point
- Durable and comfortable
- Textured grip for picking up small parts

901023
901024
901025
901026

Durable Power
- Good sensitivity
- Rolled cuff for easy on/off
- Durable and comfortable
- Textured grip with beaded cuff

Nitrile Gloves

Part No.	Description	Thickness	Size	Box	Price
901003	Sensitive Touch Gloves	5 mil	M	100	
901004	Sensitive Touch Gloves	5 mil	L	100	12.99
901005	Sensitive Touch Gloves	5 mil	XL	100	
901013	Ultra-Stretch Gloves	6 mil	M	100	
901014	Ultra-Stretch Gloves	6 mil	L	100	
901015	Ultra-Stretch Gloves	6 mil	XL	100	15.99
901016	Ultra-Stretch Gloves	6 mil	XXL	90	
901023	Durable Power Gloves	8 mil	M	50	
901024	Durable Power Gloves	8 mil	L	50	
901025	Durable Power Gloves	8 mil	XL	50	21.99
901026	Durable Power Gloves	8 mil	XXL	50	

MÄKTIG™

705700
705710
705731
705732
705741
705742
705743

705751
705752
705753
705754

705762
705763
705764

Booster Cables
- Constructed with 100% fine stranded copper
- Tangle-free design remains flexible in cold weather
- High grade steel return spring
- Zippered vinyl storage case.

Part No.	Description	Cord gauge	Length (ft)	Clamp	Temp.	Price
705700	Booster Cables	10 AWG	8	150 A	-50°C (-58°F)	12.99
705710	Booster Cables	8 AWG	8	200 A	-50°C (-58°F)	17.99
705731	Booster Cables	6 AWG	12	400 A	-50°C (-58°F)	39.99
705732	Booster Cables	6 AWG	16	400 A	-50°C (-58°F)	53.99
705741	Heavy-Duty Cables	4 AWG	12	400 A	-50°C (-58°F)	60.99
705742	Heavy-Duty Cables	4 AWG	16	400 A	-50°C (-58°F)	81.99
705743	Heavy-Duty Cables	4 AWG	20	400 A	-50°C (-58°F)	97.99
705751	Professional Cables	2 AWG	12	500 A	-50°C (-58°F)	91.99
705752	Professional Cables	2 AWG	16	500 A	-50°C (-58°F)	122.99
705753	Professional Cables	2 AWG	20	500 A	-50°C (-58°F)	147.99
705754	Professional Cables	2 AWG	24	500 A	-50°C (-58°F)	170.99
705762	Commercial Cables	1 AWG	16'	800 A	-50°C (-58°F)	143.99
705763	Commercial Cables	1 AWG	20'	800 A	-50°C (-58°F)	165.99
705764	Commercial Cables	1 AWG	24'	800 A	-50°C (-58°F)	198.99

Extension Cords
- Lighted ends, 100% copper wire, NEMA 5-15P plug and NEMA 5-15R receptacle.

Call Us !

Part No.	Description	Cord	Length (ft)	Voltage	Temp.	Taps	Price
704412	Contractor Grade, Lighted Ends	16/3 SJTOW	25	125V / 13A	-50°C (-58°F)	1	15.99
704413	Contractor Grade, Lighted Ends	16/3 SJTOW	50	125V / 13A	-50°C (-58°F)	1	28.99
704414	Contractor Grade, Lighted Ends	16/3 SJTOW	100	125V / 13A	-50°C (-58°F)	1	56.99
704422	Contractor Grade, Lighted Ends	14/3 SJTOW	25	125V / 13A	-50°C (-58°F)	1	21.99
704423	Contractor Grade, Lighted Ends	14/3 SJTOW	50	125V / 13A	-50°C (-58°F)	1	41.99
704424	Contractor Grade, Lighted Ends	14/3 SJTOW	100	125V / 13A	-50°C (-58°F)	1	80.99
704432	Contractor Grade, Lighted Ends	12/3 SJTOW	25	125V / 13A	-50°C (-58°F)	1	33.99
704433	Contractor Grade, Lighted Ends	12/3 SJTOW	50	125V / 13A	-50°C (-58°F)	1	62.99
704434	Contractor Grade, Lighted Ends	12/3 SJTOW	100	125V / 13A	-50°C (-58°F)	1	123.99

500202
- 80,000 PSI tensile strength
- Precision-machined and hardened steel jaws
- Acme threads for added strength
- Chrome-plated tommy bar with rubber washers.



500211
- 80,000 PSI tensile strength
- Precision machined & hardened steel jaws
- Acme threaded spindle
- Chrome plated tommy bar with rubber washers
- Hardened anvil striking surface
- Built-in pipe jaws.



500253
- Precision-machined and hardened steel jaws
- Chrome tommy bar with washers
- Acme threaded spindle
- Designed for holding tall work pieces.

500272
- 80,000 PSI tensile strength
- Precision machined & hardened steel jaws
- Acme threaded spindle
- Chrome plated tommy bar with rubber washers
- Hardened anvil striking surface for forming & shaping
- Built in pipe jaws to hold round & flat stock.

Vises

Part No.	Description	Size (in)	Jaw Opening (in)	Throat Depth (in)	Weight (lb)	Swivel Base	Price
500202	Ultimate-Duty SNG Ductile Iron Bench Vise	5	5,5	3,3	53,96		181.99
500211	SNG Ductile Iron Utility Bench Vise	6	6,3	2,9	41,85	√	159.99
500253	All Steel Fabricated Offset Vise	6	6,5	4	42		185.99
500272	Industrial SNG Ductile Iron Vise	5	5,5	3	49,56	√	183.99

SG Iron Anvil
- 80,000 PSI tensile strength
- Spheroidal nodular graphite ductile iron for ultimate strength and impact resistance
- Ideal for forming and shaping steel
- Weight: 48.46lbs.

500302
76.99

Extension Cords

Part No.	Description	Cord	Length (ft)	Voltage	Temp.	Taps	Price
704202	Contractor Grade	16/3 SJTW	25	125V / 13A	-50°C (-58°F)	1	12.99
704203	Contractor Grade	16/3 SJTW	50	125V / 13A	-50°C (-58°F)	1	24.99
704204	Contractor Grade	16/3 SJTW	100	125V / 13A	-50°C (-58°F)	1	47.99
704251	Block Heater Extension Cord	16/3 SJTW	6.5 (2m)	125V / 13A	-50°C (-58°F)	3	5.99
704252	Block Heater Extension Cord	16/3 SJTW	9.8 (3m)	125V / 13A	-50°C (-58°F)	3	7.99
704253	Block Heater Extension Cord	16/3 SJTW	16.4 (5m)	125V / 13A	-50°C (-58°F)	3	10.99
704322	Contractor Grade, Lighted Ends	14/3 SJTW	25	125V / 15A	-50°C (-58°F)	1	19.99
704323	Contractor Grade, Lighted Ends	14/3 SJTW	50	125V / 15A	-50°C (-58°F)	1	36.99
704324	Contractor Grade, Lighted Ends	14/3 SJTW	100	125V / 15A	-50°C (-58°F)	1	72.99

INDEX

	PAGES
Ammcoat	6-7
Associated	13, 40
BE Pressure	1, 10-11
Bosch Equipment	5
Central Tools	32
Chicago Pneumatic	22
Cliplight	26
Devilbiss	8
Dewalt	15
Distribution PDG	21
Docap	36
DV Systems	9
Dynaline	35
Emhart	33
Erickson	35
Firepower	16-17
General Tools	23
Irwin	30
Jet Equipment	24-26
John Bean	5
KD Tools	27
Ken Tool	32
King Canada	18
Launch Tech	4
Lincoln	14
Lisle	31
Mäktig	1, 37-38, 40
Mechanix Wear	34
Motor Vac	12
OTC	2-3, 40
Papco	36
Robinair	4
Shinn Fu	21
SPG International	19
Strongarm	20
Topring	33
Uview Ultraviolet Systems	12
Westward	28-29

We are striving to maintain enough quantities of advertised items to supply the demand. However, if an item is sold out, please accept our apologies. Some items may not be as illustrated. Some part numbers may differ from one region to another, but they represent the same product or an equivalent quality product. Some quantities are limited. We are not responsible for any error or omissions in this document or in any corresponding price list. Freight charges may apply on some items.

All leasing contracts have a 10% buy-back at end of term.
Prices may change without notice.

NATIONAL LEASING

Financing is advantageous for everyone.

Think about it!

UNI-SELECT®



ASSOCIATED

117 / ASE

Kwikstart Micro Power Bank and Jump Starter

- Anti-voltage feedback protection
- Built-in superbright LED flashlight
- Dual USB charging.

Part No.	Voltage (V)	Cranking Assist Rating (A)	Lim.Warranty (Yr)	Battery Type	Price
6600	12	600	1	Lithium	188.99

OTC

001 / OTC

Smart Battery Tester

- The first tester allowing you to print, save or email a comprehensive, full color data report
- Near-instant test displays Battery Health along with Charging and Starting system health
- Compatible with both iOS and Android devices, including smart phones and tablets
- Large and clear screen to view reports on and share with customers.

3200
494.99

MÄKTIG™

436 / MAE

Industrial SNG Ductile Iron Vise, Swivel Base, 4 inches

- 80,000 PSI Tensile Strength
- Spheroidal nodular graphite ductile iron for ultimate strength & impact resistance
- Precision machined & hardened steel jaws
- Acme threaded spindle provides smooth operation
- Chrome plated tommy bar with rubber washers
- Hardened anvil striking surface for forming & shaping
- Built in pipe jaws to hold round & flat stock
- Double lock-down swivel base with locking plate.

500271
120.99

MÄKTIG™

436 / MAE

Ultimate-Duty SNG Ductile Iron Bench Vise, Fixed Base, 4 inches

- 80,000 PSI tensile strength
- Spheroidal nodular graphite ductile iron for ultimate strength and impact resistance
- Precision-machined and hardened steel jaws
- Acme threads for added strength
- Chrome-plated tommy bar with rubber washers.

500201
126.99

AIR MILES

AVAILABLE AT PARTICIPATING STORES

UNI-SELECT, AUTO PARTS PLUS AND AUTO-PLUS ARE TRADEMARKS OF UNI-SELECT INC.
ALL RIGHTS RESERVED.

FSC www.fsc.org MIX Paper from responsible sources FSC® C108927

D1E415PTW06